woog becker



Celebrating over 5 decades in business BEAUTEX has been beautifying lives through its wide range of exclusive products. Today, engaged in manufacturing, importing and supplying of a qualitative array of products serving the Building & Interiors Industry, Beautex sure has earned great respect for its outstanding work.

The company's promise of quality craftsmanship & impeccable service has enhanced the value and beauty of millions of homes & offices across India.








DECKING

Brazilian Walnut	. 05
Brazilian Teak	
Brazilian Ash	09
Brazilian Redwood	11
THERMOWOOD	
ThermoWood	. 13
Finnis Thermo Pine	. 15
SUNLOVERS	
Thermo Pine	17
PERGOLAS AND LOG HOUSE	
Pergolas and Log house	18
























ThermoWood® is produced by heat treating Finish grown pine and spruce to temperatures in excess of 200 degrees centigrade. During the heat treatment, chemical and structural changes occur within the timber which alter and improve some of its basic characteristics.



Eco-friendly: Thermowood® is a 100% natural wood, without any added chemicals. Only the heat and steam are used to produce it.

Sustainable: The wood is heated to a temperature of 210°. This process enables all the sugars and starches to be removed from the wood. This way, there is no source of food for fungi or insects. Pine becomes more durable, ideal solution for outdoor use. This wood is a great alternative to hard tropical wood




Reduced heat conduction: Tests


carried out according to EN113 and EBV European regulations have demonstrated that the heat conductivity of Thermowood is reduced by 20-25% compared with untreated wood.

Appearance: Thermowood obtains a golden colour when batch coloured. The colour is uniform over the various planks.















Woodpecker Deck Wood Plank - Hidden Deck Fastener System

As the name implies, the hidden deck fastener is a concealed fastener for attaching decking planks. It is made from a variety of materials including plastic,

aluminium or powder coated steel.

Woodpecker Hidden Deck Fastener

High Grade Aluminium is used to make this; which renders it's durability in spite of being light weight. It is further Powder Coated using the time tested 'Seven Tank Process' to add corrosion resistance & durability.



Woodpecker Hidden Fastener - Advantages

The major advantage of hidden deck fasteners is that there are no unsightly screws or nails to look at or to trip over; which is both aesthetics & a safety issue. This further eradicates the need for the traditional time consuming / costly process of filling the punctured surface with wax, adhesives or dowels. Hidden deck fasteners also result in less damaging water penetration into the board since the surface of the board is not punctured further enhancing the life of the deck wood.



Woodpecker Hidden Fastener - Design

Side mount fasteners are quicker, easier to install & require the use of a biscuit joiner to cut a groove into the side of the decking for the connector tab to fit into. Woodpecker deck fasteners also employee sharp teeth that are impaled into the side of the decking for a perfect grip. Its Deep Dark Brown Matt Colour ensures minimal visibility.

With a brand like Woodpecker & its proven track record of long-term performing products; Cost and installation issues aside, hidden fasteners appear to have a very bright future because they allow for a cleaner and safer deck surface.



We at Beautex have been helping craft commercial and residential spaces since 1963.



We are very selective of our global partners, which is why our flooring and cladding products are carefully curated from all over the world. Aware of important corporate & social responsibilities, all the wood products come from sustainably managed forests under the stringent guidelines and highest quality, finish and craftsmanship.



Beautex Global Beautex House, 1/2, Old Anand Nagar, Off Western Express Highway, Santacruz East, Mumbai, Maharashtra 400055

> happy2help@beautex.in 90221-50000